



## Overview

The 0.72W LED Module offers impressive efficiency while ensuring exceptional brightness and conserving energy. With an IP65 rating for environmental reliability along with an overall stable operation, it's perfect for a variety of applications.

Built to last and easy to install, this module is a smart choice for sustainable lighting solutions. Illuminate your signage confidently with the 0.72W LED Module, where performance meets reliability.



Explore LED Modules




Where to Buy

## Features


- 125lm/W
- 165° wide beam angle
- IP65 rated
- Energy saving
- Environment friendly
- Long life span

## Dimensions



## Specifications

Part Number.....	L307W2TW12G
Color/Color Temperature*...	7000K
LED/Module.....	2
Module/Foot.....	2
Lumens/Module.....	90
Lumens/Foot.....	180
Lumens/Watt.....	125
Beam Angle.....	165°
Power Consumption (W).....	0.72W
Input Voltage.....	12V
Operating Temperature.....	-40°C ~ 60°C
Ingress Protection Rating...	IP65
Recommended Depth.....	2"~6" (5cm~15cm)
Warranty.....	3 years
Packaging.....	72 modules/bag
Light Distribution Curve.....	



## Power Supplies Loading

	Power Supply Part number	Output Watts	Input Voltage	Output Volts DC	Max. # Modules***
12V	ACVN125-120-277V	60W	120-277	12	83
	ACV125-120-277V	60W	120-277	12	83
	ACV2125-120-277V	120W (60 + 60)	120-277	12	83 + 83
	ACV3125-120-277V	180W (60 + 60 + 60)	120-277	12	83+83+83
	CVW125-120-277V**	60W	120-277	12	83
	CVW2125-120-277V**	120W (60 + 60)	120-277	12	83 + 83
	CVW3125-120-277V**	180W (60 + 60 + 60)	120-277	12	83+83+83

\*Custom colors available upon request - minimum order quantity required

\*\*IP68 rated

\*\*\*Based on 100% load (recommended 80%). Maximum 72 modules per series.

